



since 1894

Kühlvitrine Tower **Cooling Display Tower**

Umluftkühlung +4°C bis +8°C* • digitale Temperaturanzeige • Schiebetüren auf der Rückseite • langlebige LED-Beleuchtung für maximale Aufmerksamkeit • Absatzsteigerung durch maximale Sichtbarkeit der Produkte • Scheiben aus gehärtetem Glas • Glasablagen höhenverstellbar • 3 Glasablagen 695 x 250 mm und 2 Bodenebenen • für den Kunden versteckte Kühleinheit auf der Rückseite

ventilated cooling +4°C up to +8°C* \bullet digital temperature display • sliding doors on the back • long-living LED lighting for more attention • increase your sales through ideal visibility of your products • all glasses strengthened • glass shelves height-adjustable • 3 glass shelves 695 x 250 mm and 2 bottom levels • cooling unit hidden on the back

3x 695 x 250 mm + 2 Bodenebenen | + 2 bottom levels

230 V / 267 W

kg 62 kg **≭**

710 x 535 x 900 mm

05-70540

Made in Europe



Topping System

Ersetzt die Glasablagen der Kühlvitrine Tower durch praktische GN-Behälter.

Replaces the glass shelves of the cooling display Tower with useful GN containers.





△ 3x 1/6 GN x 65 mm







